Our Purpose To improve life for all by integrating the world





Logistics companies are accountable for the full well to wheel emissions – scope allocation depends on ownership



For a full lifecycle assessment, emissions resulting from the construction of infrastructure and the vehicles themselves must be considered, but estimating them is nearly impossible, hence they are typically ignored.

Classification: Confidential

Maersk ECO Delivery supports customer's need through carbon-neutral sustainable fuels, this is credible through external certification & audits



Sustainable biofuels

- Sustainable second-generation biofuels replace conventional fossil fuels.
- Biofuels are ISCC certified, assuring that they have no negative environmental impact on agricultural or natural lands.
- Every biofuel delivery has proof of sustainability



Reduced carbon footprint

- The corresponding CO2 savings are allocated to customer.
- Biofuels deliver 90 percent well-to-propeller* CO2 reduction, and 100 percent tank-to-propeller CO2 reduction versus fossil equivalents.
- Easy and flexible to add to customer's contract with no long term investment costs.



Emissions savings

- Maersk issue certified CO2 saving certificate.
- CO2 savings methodology based on Clean Cargo emissions factors and Round Table for Sustainable Biofuels (RSB) standards.
- Maersk ECO Delivery process is externally audited and assured by 3rd parties (PWC) to ensure credibility of CO2 savings.

- well-to-propeller & tank-to-propeller can found in appendix on the E2E lifecycle of the fuel
- 10% lost is due to production and transportation of the biofuel in the upstream process

Classification: Internal



Maersk ECO Delivery is certified and externally audited which are a key differentiator in a market of sustainability products

	monquids according to	the Renewable Energy Dire	ctive (RED) and the Fuel				
		through Directive (EU) 2015			X.		
Declaration:	er of Sustainability	ISCC-Cert-DE105-8303	5407-55037-01	ISCC			
Place and date of dispatch: Standic Dordrecht, 331 01.08.2020 Date of Issuance: 30.08.2020		6 BG Dordrecht		001			
		30.08.2020		www.iscc-system.org	i.		
iupplier			Recipient				
Name:			Name:				
Greenergy F	Fuels Ltd		Maersk Oil Trading and I Branch)	nvestments A/S (Dutch			
Address:			Address:				
Ocean House, Towers Business Park Didsbury, Greater Manchester		Boompjes 40, 1st Floor 3, 3011 XB					
M20 2LY			Rotterdam				
Certification	System: ISCC EU		Netherlands				
Certificate Number: ISCC-Cert-DE105-83035407			Contract Number:				
			181045-1		L		
. General i	information						
Type of Proc	1007	Biodiesel			1		
Type of Raw							
	onal Information	Used cooking oil (UCO)					
(voluntary):		entirely or partly of animal	origin			
Country of C material):	Drigin (of the raw	n (of the raw 17.76% NL, 21.85% ID, 60.39% CN					
Quantity:		1,816.889	m3/15°C 🖸 m³ 🔲 m	etric tons			
Energy cont	ent (MJ):	59,957,337 MJ					
Sustaina	bility criteria of	the biomass accord	ding to Article 17 RED):			
. Sustania							
		sustainability criteria acc	ording to Art. 17 (3) (4) and	(5) RED ¹ Ves (71		
he raw mater	ial complies with the	12	ording to Art. 17 (3), (4) and	2010	2		
he raw mater	ial complies with the ial meets the definiti	on of waste or residue ao	ording to Art. 17 (3), (4) and cording to the RED, i.e. it we discarded, to meet the defi	as not intentionally	10		
he raw mater he raw mater roduced and	ial complies with the ial meets the definiti	on of waste or residue ao	cording to the RED, i.e. it w	as not intentionally	10		
he raw mater he raw mater roduced and rsidue ²	ial complies with the ial meets the definiti	on of waste or residue ao lified, or contaminated, or	cording to the RED, i.e. it w	as not intentionally	10		
he raw mater he raw mater roduced and rsidue ² . Greenho	ial complies with the ial meets the definiti not intentionally mod USE Gas (GHG)	on of waste or residue ao lified, or contaminated, or information	cording to the RED, i.e. it w	as not intentionally	<i>u</i> .		
he raw mater he raw mater roduced and rsidue ² . Greenho Total defa	ial complies with the ial meets the definiti not intentionally more use Gas (GHG) ault value according	on of waste or residue ao lified, or contaminated, or information	cording to the RED, i.e. it wi discarded, to meet the defi	as not intentionally nition of waste or C Yes D	5		
he raw mater he raw mater roduced and rsidue ² . Greenho Total defa	ial complies with the ial meets the definiti not intentionally more use Gas (GHG) ault value according	on of waste or residue ao lified, or contaminated, or information to RED applied	cording to the RED, i.e. it wi discarded, to meet the defi	as not intentionally nition of waste or C Yes [Ves No	5		
he raw mater he raw mater roduced and rsidue ² . Greenho Total defa	ial complies with the ial meets the definiti not intentionally more use Gas (GHG) ault value according	on of waste or residue ao lified, or contaminated, or information to RED applied	cording to the RED, i.e. it wi discarded, to meet the defi	as not intentionally nition of waste or C Yes [Ves No	5		
he raw mater noduced and rsidue ² . Greenho Total defa E = Total GHG	ial complies with the ial meets the definiti not intentionally mor use Gas (GHG) ault value according G emissions from su ssion saving ³ .	on of waste or residue ao lified, or contaminated, or information to RED applied pply and use of the fuel (s	cording to the RED, i.e. it w discarded, to meet the defi gCO2eq/MJ)	as not intentionally nition of waste or C Yes [Yes No 14 gCO2eq/	MJ		
he raw mater noduced and rsidue ² . Greenho Total defa E = Total GHG	tal complies with the lat meets the definiti not intentionally more use Gas (GHG) ault value according G emissions from su ssion saving ³ ; 83.3% (for biofur	on of waste or residue ac iffied, or contaminated, or information to RED applied pply and use of the fuel (p als 83.8 gCO2eq/MJ)	cording to the RED, i.e. it wi discarded, to meet the defi gCO2eq/MJ) 81.8% (f	as not intentionally nition of waste or Yes C Yes No 14 gCO2eq/I or heat production 77 gCO2eq/I	MJ		
he raw mater he raw mater roduced and roidued ² . Greenho Total defa E = Total GH0 GHG emi If the GH0	ial complies with the ial meets the definit not intentionally moo use Gas (GHG) ault value according G 6 emissions from su ssion saving ³ : 83.3% (for biofux 84.6% (for elect 6 emission savings	on of waste or residue ac iffied, or contaminated, or information to RED applied pply and use of the fuel (sis 83.8 gCO2eq/MJ) icity production 91 gCO2e me below 80%:	cording to the RED. i.e. it wi discarded, to meet the defi gCO2eq/NU) 81.8% (f eq/NU) 83.5% (f	as not intentionally nition of waste or C Yes [Yes No 14 gCO2eq/	MJ		
he raw mater ne raw mater roduced and sidue ² Greenho Total defa E = Total GHG GHG emi If the GH(The instal	ial complies with the ial meets the definiti not intentionally more use Case (GHG) ault value according G emissions from su ssion saving ³ : 83.3% (for biofur 84.5% (for biofur 84.6% (for elect G emission savinga)	on of waste or residue ac iffied, or contaminated, or information to RED applied pply and use of the fuel (p add use of the fuel (p list 83.8 gCC2eq/MJ) taty production 91 gCC22 are below 60%:	cording to the RED. i.e. it will discarded, to meet the defi gCO2eq/MJ) Eq/MJ 81.8% (f eq/MJ) 81.8% (f produced started physical	as not intentionally nition of waste or Yes C Yes No 14 gCO2eq/I or heat production 77 gCO2eq/I	m.j		
he raw mater he raw mater roduced and rsidue ² . Greenho Total defa E = Total GHG GHG emi If the GH(The instal	ial complies with the ial meets the definiti not intentionally more use Case (GHC) ault value according G emissions from su ssion saving ³ : 83.3% (for biofur 84.5% (for biofur 84.6% (for elect G emission savinga)	on of waste or residue ac iffied, or contaminated, or information to RED applied pply and use of the fuel (sis 83.8 gCO2eq/MJ) icity production 91 gCO2e me below 80%:	cording to the RED. i.e. it will discarded, to meet the defi gCO2eq/MJ) Eq/MJ 81.8% (f eq/MJ) 81.8% (f produced started physical	as not intentionally nition of waste or Yes C Yes No 14 gCO2eq/I or neat production 77 gCO2eq/I or cogeneration 85 gCO2eq/IMJ	MJ		
he raw mater he raw mater roduced and rsidue ² . Greenho Total defa E = Total GHG GHG emi If the GHG The insta productio	ial complies with the ial meets the definiti not intentionally more use Gas (GHG) ault value according G emissions from su ssion saving ² : 83.3% (for locifut 84.6% (for elect o emission savings) liation where the finition in of biofuels or biolic	on of waste or residue ac iffled, or contaminated, or information to RED applied pply and use of the fuel (p ess 83,8 gCO2eq/MJ) icity production 91 gCO2 are below 60% il bicfuel or bioliquid was juids after 5 October 2011	cording to the RED. i.e. it will discarded, to meet the defi gCO2eq/MJ) 81.8% (f 83.5% (f produced started physical	as not intentionally nition of waste or Yess Yess Yess No 14 gCO2eq/I or neat production 77 gCO2eq/ or cogeneration 85 gCO2eq/I Yes No	MJ		
he raw mater roduced and sidue ² . Greenho Total defa GHG emi If the GHG The instal producto Volunta This form Sustaina	ial complies with the ial meets the definiti not intentionally more use Gas (GHG) ault value according G emissions from su ssion saving ² : 83.3% (for locifut 84.6% (for elect o emission savings) liation where the finition in of biofuels or biolic	on of waste or residue ac iffled, or contaminated, or information to RED applied pply and use of the fuel (p ess 83,8 gCO2eq/MJ) icity production 91 gCO2 are below 60% il bicfuel or bioliquid was juids after 5 October 2011	cording to the RED. i.e. it will discarded, to meet the defi gCO2eq/MJ) Eq/MJ 81.8% (f eq/MJ) 81.8% (f produced started physical	as not intentionally nition of waste or Yess Yess Yess No 14 gCO2eq/I or neat production 77 gCO2eq/ or cogeneration 85 gCO2eq/I Yes No	MJ		
he raw matern he raw matern roduced and sidue ² . Greenho Total defa E = Total GHG GHG emi If the GHG The instal productio Volunta This form	ial complies with the ial meets the definiti not intentionally more use Gas (GHG) with value according. G emissions from su ssion saving ² : 83.3% (for biolut 84.5% (for elect G emission savings d emission savings taking the biofuels or biolic Prooof	on of waste or residue ac iffed, or contaminated, or information to RED applied pply and use of the fuel (g les 83.8 gCO2eq/MJ) inity production 91 gCO22 are below 00%: in biofuel or bioliquid was: guids after 5 October 2017 Of SUSTAI	cording to the RED. i.e. it will discarded, to meet the defi pCO2eq/MJ) sc/MJ) sc/MJ) sc/MJ) sc/MJ sc/	as not intentionally nition of waste or ves (ves (ves (ves (accessed)) or heat production 77 gCO2eq or cogeneration 85 gCO2eq/MJ ves (ves (MJ		
he raw mater roduced and ssidue ² Greenho Total defa E = Total GHG GHG emi If the GHG The instal productio Volunta This form Sustaina	ial complies with the ial meets the definiti not intentionally more use Gas (GHG) with value according. G emissions from su ssion saving ² : 83.3% (for biolut 84.5% (for elect G emission savings d emission savings taking the biofuels or biolic Prooof	on of waste or residue ac iffed, or contaminated, or information to RED applied pply and use of the fuel (g les 83.8 gCO2eq/MJ) inity production 91 gCO22 are below 00%: in biofuel or bioliquid was: guids after 5 October 2017 Of SUSTAI	cording to the RED. i.e. it will discarded, to meet the defi pCO2eq/MJ) sc/MJ) sc/MJ) sc/MJ) sc/MJ sc/	as not intentionally nition of waste or ves (ves (ves (ves (accessed)) or heat production 77 gCO2eq or cogeneration 85 gCO2eq/MJ ves (ves (MJ		
he raw mater roduced and ssidue ² Greenho Total defa E = Total GHG GHG emi If the GHG The instal productio Volunta This form Sustaina	ial complies with the ial meets the definiti not intentionally more use Gas (GHG) with value according. G emissions from su ssion saving ² : 83.3% (for biolut 84.5% (for elect G emission savings d emission savings taking the biofuels or biolic Prooof	on of waste or residue ao iffied, or contaminated, or information to RED applied pply and use of the fuel (als 83.8 gCO2eq/MJ) inity production 91 gCO24 are below 00% of sustain ased by 0%	acroning to the RED. i.e. it will discarded, to meet the defination accorege(NLI) Bag(NLI) Ba	as not intentionally nition of waste or ves (ves (ves (ves (accessed)) or heat production 77 gCO2eq or cogeneration 85 gCO2eq/MJ ves (ves (MJ		
he raw mater he raw mater roduced and esidue ² Total defa E = Total GHG GHG emi If the GHG The instal productio Volunta This form Sustaina	ial complies with the ial meets the definiti not intentionally more use Gas (GHG) with value according. G emissions from su ssion saving ² : 83.3% (for biolut 84.5% (for elect G emission savings d emission savings taking the biofuels or biolic Prooof	on of waste or residue ao iffied, or contaminated, or information to RED applied pply and use of the fuel (als 83.8 gCO2eq/MJ) inity production 91 gCO24 are below 00% of sustain ased by 0%	cording to the RED. i.e. it will discarded, to meet the defi pCO2eq/MJ) sc/MJ) sc/MJ) sc/MJ) sc/MJ sc/	as not intentionally nition of waste or ves (ves (ves (ves (accessed)) or heat production 77 gCO2eq or cogeneration 85 gCO2eq/MJ ves (ves (MJ		

Supplier		Sunoil Bio Fuels B.V.			
Contact person:		Marc Soesman			
Telephone number:		+31 (0)88 7863863			
Delivery type:		Shore tank to barge			
Address:					
Sunoil Bio Fuels B.V - 1e Boksloot Tel. +31 (0)88 7863863; e-mail in		he Netherlands -	- Postbus 2000, 7801 CA Emmen		
Client		Maersk Oil 1	Trading and Investments (Dutch Branch)		
Client number:		-	2		
Supplier invoice number:		SIS-200009			
MOT invoice number:			123750/123749		
ISCC certificate number:		EU-ISCC-Cert-DE105-81354909			
Contact person:		Mohamed Sheikh-Kadir			
Invoice address:		Boompjes 40, 1st Floor 3 - P.O. Box 240, 3011 XB Rotterdam - The Netherlands			
Receiving barge:		Veere			
Delivery address:		Rotterdam Europoort			
Renewable fuel quantity (MT Va	c)	1.100,227			
Feedstock:		Used Cooking Oil (UCO)			
Country of origin feedstock:		26,36% IT; 22,44% CN; 51,2% NL			
Type of product:		Biodiesel			
Unique Number of sustainability	declaration:	EU-ISCC-Cer	t-DE105-81354909-NNw-2000029		
Fuel blend contents (MT Vac)	Туре	Quantity	Content of bio and fossil fuels		
Bio fuel quantity	Used Cooking Oil (UCO)	1.098,537	20%		
Fossil fuel quantity	RMG38005 (VLSF0)	4.400,366	80%		
Total fuel quantity	RFK70005 (Biodiesel)	5.498,903			
Dispatch address and last produc	tion facility	Koole Tanks	torage Botlek, KTB Tank 581		
and the product	clon rectary.	Oude Maasweg 6			
			terdam, Netherland (NL)		
Delivered to	Vessel	Date	Quantity		
Alianca Navegacao e Logistica Lte Maersk A/S	Ja. Cap San Nicolas Santa Ursula		2.005.400		
	Jointa Urbuta	10-07-2020	2.000,400		

of biofuel bunkered by Maersk issued per vessel.



issued per contract.

Classification: Internal

Responding to industry trends: By partnering with us, you get a partner that works hard to enable decarbonization across land and sea

Maersk Initiatives



38 Maersk - Landside Transportation

MAERSK

Classification: Public

Maersk China is committed to mark sustainability on the agenda with intermodal solution Go green on landside

Category	Key Initiatives and Achievement				
Transportation Modality Shift	 We actively build up our inland rail and barge network to provide alternative solution for road freight. 70,000 FFEs converted into multi-modal solution for 2022, mitigating approx. 80,000 tons of carbon emission.* 				
Increase vehicle utilization	 Launched unique Maersk Match platforms to enable container triangulation for import/export trucking business, saving approximately 1000 empty runs across China. Piloting rail triangulation recently across all rail ramp. 				
Deploy alternative fuel fleets	 Approx. 100 fleets fueled by LNGs in Shanghai/Ningbo and Shenzhen, bring carbon saving at 10% per moves. Integrate <i>Sustainability</i> as a part of KPI scheme for trucking vendor selection. Piloting FCEV/BEVs now in Shanghai 				



A good start is already half of the success Our 1st green pilot with Nike in China







Classification: Public